09/832,920.

DT07 Rec'd PCT/PTO 0 3 FEB 2005

<u>PATENT</u>

FE 3560.002771.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

th re Patent of:)

: Examiner: J.L. Dote TAKAKAZU TANAKA ET AL.

: Group Art Unit: 1756

Appln. No.: 09/832,920

Filed: April 12, 2001

For: ELECTOPHOTOGRAPHIC)

PHOTOSENSITIVE MEMBER,
PROCESS CARTRIDGE, AND
ELECTROPHOTOGRAPHIC

APPARATUS

U.S. Patent No.: US 6,818,368 B2

Issued: November 16, 2004) February 2, 2005

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

CERTIFICATE OF CORRECTION
__UNDER RULES 322 AND 323

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor

02/10/2005 HGUTEMA1 00000127 6818368

01 FC:1811

100.00 OP



FEB | 1 2005

OF CORRECTI

character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.

Accompanying this letter is a check for \$100.00 to cover the statutory fee for such Certificate of Correction.

Patentees' undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

Peter Saxon

Attorney for Patentees Registration No. 24,947

FITZPATRICK, CELLA, HARPER & SCINTO 30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200

NY_Main 478186v1

CERTIFICATE OF CORRECTION

PATENT NO.

US 6,818,368 B2

DATED

November 16, 2004

INVENTOR(S) :

:

TAKAKAZU TANAKA ET AL.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 2:

Line 2, "iodbbenzene" should read --iodobenzene--;

Line 28, "causes" should real --cause--; and

Line 31, "concentrically" should read --concentratedly--.

COLUMN 3:

Line 54, delete "in the present invention" first occurrence.

COLUMN 9:

Line 59, "(CT-6)is" should read --(CT-6) is--.

COLUMN 10:

Line 30, "case in," should read --casein,--; and Line 47, "material," should read --materials,--.

COLUMN 12:

Line 36, "S. 67g" should read -- 5.67g--.

COLUMN 13:

Synthetic Example 7, "alladium (D)" should read --palladium (D)--; and Synthetic Example 8, "alladium (D)" should read --palladium (D)--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO 30 Rockefeller Plaza New York, New York 10112-3801 (212) 218-2100 - Telephone (212) 218-2200 - Facsimile

PATENT NO. <u>US 6,818,368 B2</u>

No. of add'l. copies @ 30¢ per page



Form PTO 1050 (Rev. 3-82) NY Main 478186v1 ___

CERTIFICATE OF CORRECTION

PATENT NO.

US 6,818,368 B2

DATED

November 16, 2004

INVENTOR(S) :

TAKAKAZU TANAKA ET AL.

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 15:

Line 25, "di-tert-butylbipnenylphosphine" should read --di-tertbutylbiphenylphosphine--.

COLUMN 16:

Line 42, "15 Am." should read --15µm.--;

Line 44, "SnO210" should read --SnO₂ 10 pbw--;

Line 45, "pbw" should be deleted;

Line 55, "Bragg angles $(2\theta \pm 0.20)$ " should read ---Bragg angles $(2\theta \pm 0.2^{\circ})$ -; and

Line 56, "CuKa" should read --CuKα--.

COLUMN 17:

Line 9, "high-humid should read --high-humidity--; and Line 14, "high-humid should read --high-humidity--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO 30 Rockefeller Plaza New York, New York 10112-3801 (212) 218-2100 - Telephone (212) 218-2200 - Facsimile

PATENT NO. <u>US 6,818,368 B2</u>

No. of add'l. copies @ 30¢ per page



NY Main 478186v1

Form PTO 1050 (Rev. 3-82)

CERTIFICATE OF CORRECTION

PATENT NO.

US 6,818,368 B2

DATED

November 16, 2004

INVENTOR(S)

TAKAKAZU TANAKA ET AL.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 2:

Line 2, "iodbbenzene" should read --iodobenzene--;

Line 28, "causes" should real --cause--; and

Line 31, "concentrically" should read --concentratedly--.

COLUMN 3:

Line 54, delete "in the present invention" first occurrence.

COLUMN 9:

Line 59, "(CT-6)is" should read --(CT-6) is--.

COLUMN 10:

Line 30, "case in," should read --casein,--; and

Line 47, "material," should read --materials,--.

COLUMN 12:

Line 36, "S. 67g" should read --5.67g--.

COLUMN 13:

Synthetic Example 7, "alladium (D)" should read --palladium (D)--; and Synthetic Example 8, "alladium (D)" should read --palladium (D)--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO 30 Rockefeller Plaza New York, New York 10112-3801 (212) 218-2100 - Telephone (212) 218-2200 - Facsimile

FEB 15 ME

PATENT NO. <u>US 6,818,368 B2</u>

No. of add'l. copies @ 30¢ per page



Form PTO 1050 (Rev. 3-82)

NY Main 478186v1

CERTIFICATE OF CORRECTION

PATENT NO.

US 6,818,368 B2

DATED

November 16, 2004

INVENTOR(S)

TAKAKAZU TANAKA ET AL.

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 15:

Line 25, "di-tert-butylbipnenylphosphine" should read --di-tert-butylbiphenylphosphine--.

COLUMN 16:

Line 42, "15 Am." should read --15µm.--;

Line 44, "SnO210" should read --SnO₂ 10 pbw--;

Line 45, "pbw" should be deleted;

Line 55, "Bragg angles $(2\theta\pm0.20)$ " should read ---Bragg angles $(2\theta\pm0.2^{\circ})$ -; and

Line 56, "CuKa" should read --CuKα--.

COLUMN 17:

Line 9, "high-humid should read --high-humidity--; and Line 14, "high-humid should read --high-humidity--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO 30 Rockefeller Plaza New York, New York 10112-3801 (212) 218-2100 - Telephone (212) 218-2200 - Facsimile PATENT NO. <u>US 6,818,368 B2</u>

No. of add'l. copies @ 30¢ per page



Form PTO 1050 (Rev. 3-82) NY Main 478186v1